

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A globalization management system for managing resources of multiple interrelated data sources stored in one or more storage devices corresponding to a plurality of sites accessed through a communications network, comprising:

one or more processors serving a plurality of target application interfaces, each of said target application interfaces being respectively coupled to at least one of the interrelated data sources through the communications network, each of said target application interfaces including means for converting a protocol of the respective data source to a predetermined protocol and said predetermined protocol to said protocol of the respective data source; and,

said one or more processors executing instructions to function as a global management engine coupled to said plurality of target application interfaces, said global management engine communicating with each of said target application interfaces with said predetermined protocol, said global management engine including

(a) a site-to-site relationship manager function for identifying provider and subscriber relationships, language translation, and localization requirements between the multiplicity of interrelated data sources, said manager identifying in said multiplicity of interrelated data sources a plurality of data sources which are site content providers and at least one data source which is both a site content subscriber and a site content provider;

(b) a periodic data reading function ~~means~~ for periodically reading data representing current content from the multiplicity of interrelated data sources identified as provider sites by said site-to-site relationship manager according to a predetermined schedule,

(c) a comparing function ~~means~~ for comparing said periodically read data representing current content with data representing prior content to identify content changes at a respective provider site, and

(d) a project manager function for automatically transferring said data identified as a content change by said comparing means to at least one of said interrelated data

sources identified as a subscriber site by said site-to-site relationship ~~manager~~, manager and at least one data source identified as both a site content subscriber and a site content provider in said model.

2. (Currently Amended) The globalization management system as recited in Claim 1 where said project manager function includes instructions ~~means~~ for transferring said data identified as a content change by said comparing means to a language translation site through the communications network responsive to said site-to-site relationship manager function identifying said content change data as requiring language translation, said project manager function including a function configured to receive ~~means for~~ receiving data from said language translation site and ~~transferring~~ transfer said received data to at least one of said interrelated data sources identified as subscriber site.

3. (Currently Amended) The globalization management system as recited in Claim 1 where said project manager function includes ~~means for a~~ localizing function configured to localize said data identified as a content change by said comparing ~~means~~ function responsive to said site-to-site relationship manager function identifying said content change data as requiring localization.

4. (Original) The globalization management system as recited in Claim 1 where said global management engine is implemented on a server coupled to the communications network.

5. (Original) The globalization management system as recited in Claim 1 where said current content from the interrelated data sources is stored in a repository selected from the group consisting of a database system, a file system, a content management system and a combination thereof.

6. (Currently Amended) A method of managing resources of a multiplicity of interrelated data sources corresponding to a plurality of sites accessed through a communications network, comprising the steps of:

analyzing the multiplicity of interrelated data sources to identify architecture, protocol, language and localization requirements;

establishing at least one target application interface for transferring data to and from said multiplicity of interrelated data sources;

establishing a site-to-site interrelationship model identifying provider and subscriber relationships between said multiplicity of interrelated data sources, said model identifying in said multiplicity of interrelated data sources a plurality of data sources which are site content providers and at least one data source which is both a site content subscriber and a site content provider;

periodically reading via one or more processors data representing site content from said multiplicity of interrelated data sources identified as site content providers in said model;

comparing said periodically read data with data representing predetermined site content to identify data representing content changes; and,

transferring said identified data representing changed content to at least one of said multiplicity of interrelated data sources identified as a site content subscriber in said model and at least one data source identified as both a site content subscriber and a site content provider in said model.

7. (Original) The method as recited in Claim 6 where said step of transferring said identified data is preceded by the step of processing said identified data representing changed content by transforming said changed content from a first language to a second language.

8. (Original) The method as recited in Claim 7 where said step of translating includes the step of transferring said identified data representing changed content to a translation portal through the communications network.

9. (Original) The method as recited in Claim 6 where said step of transferring said identified data is preceded by the step of processing said identified data representing changed content by localizing said changed content for consistency with said localization requirements.

10. (Original) The method as recited in Claim 6 where said step of establishing a site-to-site interrelationship model includes the step of identifying for a respective one of said interrelated data sources those interrelated data sources to receive said changed content as a subscriber thereto, and those interrelated data sources from which said respective interrelated data source receives changed content as a subscriber therefrom.

11. (Original) The method as recited in Claim 6 where said step of establishing a site-to-site interrelationship model includes the step of identifying for a respective one of said interrelated data sources said data representing site content requiring an action selected from the group consisting of transformation and migration of said content for a predetermined site content subscriber.

12. (Original) The method as recited in Claim 11 where said step of identifying includes the step of identifying site content requiring localization of said content for a predetermined site content subscriber.

13. (Original) The method as recited in Claim 11 where said step of identifying includes the step of identifying site content requiring language translation of said content for a predetermined site content subscriber.

14. (Original) The method as recited in Claim 11 where said step of identifying includes the step of identifying site content requiring copying of said content for a predetermined site content subscriber.

Application No.: 10/003,315
Response Dated October 20, 2010
Reply to Office Action of April 20, 2010

15. (Original) The method as recited in Claim 11 where said step of identifying includes the step of identifying site content requiring copying of said content for a predetermined site content subscriber with a HIDE flag associated therewith.